

MATERIAL SAFETY DATA SHEET

CHEMCO INDUSTRIES, INC.
5731 Manchester Ave., St. Louis, MO 63110



DATE OF ISSUE: January, 05, 2006

GENERAL INFORMATION # : 314-647-1888
EMERGENCY TELEPHONE # : (800) 854-4236

I-PRODUCT IDENTIFICATION

CITRA-FLOAT

PRODUCT CODE: #053D, #052S

CHEMICAL FORMULATION: CITRUS FLOATING LIFT STATION CLEANER

NFPA HAZARD IDENTIFICATION SYSTEM: HEALTH: FLAMMABILITY: REACTIVITY:

HAZARD RATING: 4- Extreme; 3 - High; 2 - Moderate; 1 - Slight; 0 - Insignificant

II - HAZARDOUS INGREDIENTS

Hazardous Components (Specific Chemical Identity; Common Name (s))

CAS No. OSHA PEL ACGIHTLV Other Limits
Recommended % optional

N/A

Key: PEL: Permissible Exposure Limit TLV: Threshold Limit Value C: Ceiling Level STEL: Short Term Exposure Limit
N/A: Not Applicable N/D: Not Determined N/E: Not Established Y: Yes N: No
302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4).
355: SARA TITLE III/ List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355).
372: SARA TITLE III/ List of Toxic Chemicals subject to Release Reporting (Community Right to Know) (40 CFR 372).

III - PHYSICAL DATA

BOILING POINT (°f): 349°F MELTING POINT: N/A
VAPOR PRESSURE (mm Hg): HEAVIER THAN AIR SPECIFIC GRAVITY (H2O=1): 0.84
VAPOR DENSITY (AIR=1) N/A
SOLUBILITY IN WATER: EMULSIFIABLE EVAPORATION RATE (Butyl Acetate =1): N/A
pH: N/A
APPEARANCE AND ODOR: LT. AMBER WITH AN ORANGE ODOR

IV - FIRE AND EXPLOSION HAZARD

FLASH POINT (°F): 125°F (TEST METHOD):
FLAMMABLE LIMITS: UPPER: 6.0% LOWER: 0.7%
EXTINGUISHING MEDIA: DRY POWDER FOAM
SPECIAL FIRE FIGHTING PROCEDURES: CLASS B FIRE PROCEDURES
UNUSUAL FIRE AND EXPLOSION HAZARD: NONE KNOWN-TREAT AS COMBUSTIBLE LIQUID

V - REACTIVITY DATA

STABILITY: STABLE
INCOMPATIBILITY: STRONG OXIDIZING AGENTS
MATERIALS TO AVOID: NONE
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CARBON DIOXIDE AND CARBON MONOXIDE
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
CONDITIONS TO AVOID: NONE

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: CITRA-FLOAT

PRODUCT CODE: #053D, #052S

VI - HEALTH AND HAZARD DATA

ROUTES OF ENTRY: INHALATION, SKIN, INGESTION

CARCINOGEN - NTP&IARC PROGRAM: N/A

OSHA: N/A

SYMPTOMS OF EXPOSURE

IF IN EYES: IRRITATION-REDNESS AND TEARING SKIN

IF ON SKIN: DEFATTING OR DRYNESS

IF INGESTED: MAY CAUSE VOMITING

IF INHALED: DIZZINESS, HEADACHE, IRRITATION OF RESPIRATORY TRACT

MEDICAL COND. AGGRAVATED BY EXP: N/A

EMERGENCY FIRST AID

IF IN EYES: FLUSH WITH WATER 15 MINUTES, CONTACT PHYSICIAN

IF ON SKIN: WASH WITH SOAP AND WATER

IF INGESTED: DRINK WATER, MILK OR MAGNESTA. CONTACT PHYSICIAN IMMEDIATELY

IF INHALED: REMOVE TO FRESH AIR

VII - SPILL AND LEAK PROTECTION

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: SQUEEGEE UP ABSORB ON CLAY. WASH AREA WITH SOAP & WATER

WASTE DISPOSAL METHOD: LANDFILL IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS

VIII - SPECIAL PROTECTION INFORMATION

VENTILATION: MECHANICAL

RESPIRATORY PROTECTION: NONE REQUIRED WITH ADEQUATE VENTILATION

PROTECTIVE GLOVES: OIL RESISTANT

EYE PROTECTION: CHEMICAL WORKER'S SAFETY GLASSES

OTHER PROTECTIVE EQUIPMENT: NONE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: NONE

OTHER PRECAUTIONS: N/A

WORK/HYGIENIC PRACTICES: N/A

REVISION DATE: January 05, 2005

Prepared By:

DATE OF ISSUE: January 05, 2005

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Chemco Industries assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such vendees or users assume all risks associated with the use of this material.